

| L Number | Hits | Search Text                          | DB                                     | Time stamp       |
|----------|------|--------------------------------------|--|------------------|
| -        | 2962 | 264/40.1                             | USPAT;<br>US-PGPUB;<br>JPO;<br>DERWENT | 2002/11/19 14:12 |
| -        | 7    | "338086"                             | USPAT;<br>US-PGPUB;<br>JPO;<br>DERWENT | 2002/11/18 15:07 |
| -        | 1    | "19652028"                           | USPAT;<br>US-PGPUB;<br>JPO;<br>DERWENT | 2002/11/18 15:18 |
| -        | 225  | 425/451.7                            | USPAT;<br>US-PGPUB;<br>JPO;<br>DERWENT | 2002/11/18 15:19 |
| -        | 4    | 425/451.7 and (threaded adj screw)   | USPAT;<br>US-PGPUB;<br>JPO;<br>DERWENT | 2002/11/18 15:22 |
| -        | 85   | 425/451.7 and threaded               | USPAT;<br>US-PGPUB;<br>JPO;<br>DERWENT | 2002/11/18 15:22 |
| -        | 16   | (425/451.7 and threaded) and spindle | USPAT;<br>US-PGPUB;<br>JPO;<br>DERWENT | 2002/11/18 17:03 |
| -        | 1    | "19804143"                           | USPAT;<br>US-PGPUB;<br>JPO;<br>DERWENT | 2002/11/18 17:04 |
| -        | 1187 | 425/547                              | USPAT;<br>US-PGPUB;<br>JPO;<br>DERWENT | 2002/11/19 14:12 |
| -        | 5    | 425/547 and (threaded adj screw)     | USPAT;<br>US-PGPUB;<br>JPO;<br>DERWENT | 2002/11/20 09:10 |
| -        | 212  | 425/547 and threaded                 | USPAT;<br>US-PGPUB;<br>JPO;<br>DERWENT | 2002/11/19 14:22 |
| -        | 19   | 425/547 and (screw adj drive)        | USPAT;<br>US-PGPUB;<br>JPO;<br>DERWENT | 2002/11/19 15:15 |
| -        | 504  | 249/102                              | USPAT;<br>US-PGPUB;<br>JPO;<br>DERWENT | 2002/11/19 14:48 |
| -        | 2    | 249/102 and (screw adj drive)        | USPAT;<br>US-PGPUB;<br>JPO;<br>DERWENT | 2002/11/19 14:58 |
| -        | 117  | 249/102 and screw                    | USPAT;<br>US-PGPUB;<br>JPO;<br>DERWENT | 2002/11/19 14:58 |
| -        | 116  | 249/102 and insert                   | USPAT;<br>US-PGPUB;<br>JPO;<br>DERWENT | 2002/11/19 14:58 |

|   |      |   |  |                  |
|---|------|---|--|------------------|
| - | 41   | 249/102 and (mold adj insert)   | USPAT;<br>US-PGPUB;<br>JPO;<br>DERWENT | 2002/11/19 15:02 |
| - | 20   | ((249/102 and (mold adj insert)) and screw  | USPAT;<br>US-PGPUB;<br>JPO;<br>DERWENT | 2002/11/19 15:02 |
| - | 16   | (425/547 and (screw adj drive)) and plate   | USPAT;<br>US-PGPUB;<br>JPO;<br>DERWENT | 2002/11/19 15:30 |
| - | 16   | ((425/547 and (screw adj drive)) and plate) and screw                             | USPAT;<br>US-PGPUB;<br>JPO;<br>DERWENT | 2002/11/19 15:29 |
| - | 16   | ((((425/547 and (screw adj drive)) and plate) and screw) and heat\$4              | USPAT;<br>US-PGPUB;<br>JPO;<br>DERWENT | 2002/11/19 15:23 |
| - | 11   | ((((425/547 and (screw adj drive)) and plate) and screw) and (heat\$4 with plate) | USPAT;<br>US-PGPUB;<br>JPO;<br>DERWENT | 2002/11/19 15:30 |
| - | 11   | (425/547 and (screw adj drive)) and (heat\$4 with plate)                          | USPAT;<br>US-PGPUB;<br>JPO;<br>DERWENT | 2002/11/19 15:53 |
| - | 3462 | (planetary adj gear) and screw  | USPAT;<br>US-PGPUB;<br>JPO;<br>DERWENT | 2002/11/19 15:54 |
| - | 65   | (planetary adj gear) and (threaded adj screw)                                     | USPAT;<br>US-PGPUB;<br>JPO;<br>DERWENT | 2002/11/19 15:54 |
| - | 14   | ((planetary adj gear) and (threaded adj screw)) and mold\$4                       | USPAT;<br>US-PGPUB;<br>JPO;<br>DERWENT | 2002/11/19 15:59 |
| - | 8    | ((planetary adj gear) and (threaded adj screw)) and inject\$5                     | USPAT;<br>US-PGPUB;<br>JPO;<br>DERWENT | 2002/11/19 17:00 |
| - | 356  | 264/328.1 and insert  | USPAT;<br>US-PGPUB;<br>JPO;<br>DERWENT | 2002/11/19 17:00 |
| - | 7    | (264/328.1 and insert) and 249/102  | USPAT;<br>US-PGPUB;<br>JPO;<br>DERWENT | 2002/11/19 17:03 |
| - | 6    | ((264/328.1 and insert) and 249/102) and screw                                    | USPAT;<br>US-PGPUB;<br>JPO;<br>DERWENT | 2002/11/19 17:50 |
| - | 1735 | 425/135   | USPAT;<br>US-PGPUB;<br>JPO;<br>DERWENT | 2002/11/19 17:52 |
| - | 1407 | 425/150   | USPAT;<br>US-PGPUB;<br>JPO;<br>DERWENT | 2002/11/19 17:52 |

|   |      |   |  |                  |
|---|------|---|--|------------------|
| - | 14   | 425/150 and (threaded adj screw)  | USPAT;<br>US-PGPUB;<br>JPO;<br>DERWENT | 2002/11/19 17:54 |
| - | 14   | 264/40.1 and (threaded adj screw)   | USPAT;<br>US-PGPUB;<br>JPO;<br>DERWENT | 2002/11/20 09:35 |
| - | 2    | 4761343.pn.   | USPAT;<br>US-PGPUB;<br>JPO;<br>DERWENT | 2002/11/20 09:11 |
| - | 2    | 4761343.pn. and (heat\$4 with plate)  | USPAT;<br>US-PGPUB;<br>JPO;<br>DERWENT | 2002/11/20 09:11 |
| - | 12   | ("3496261"   "3951375"   "4212626"   "4219323"   "4333629"  <br>"4340156"   "4439915"   "4497624"   "4521179"   "4563149"   "4576567"<br>  "4620958").PN. | USPAT                                  | 2002/11/20 09:24 |
| - | 283  | 264/40.1 and 264/328.1  | USPAT;<br>US-PGPUB;<br>JPO;<br>DERWENT | 2002/11/20 09:35 |
| - | 195  | (264/40.1 and 264/328.1) and screw  | USPAT;<br>US-PGPUB;<br>JPO;<br>DERWENT | 2002/11/20 09:36 |
| - | 10   | (264/40.1 and 264/328.1) and (power adj consumption)  | USPAT;<br>US-PGPUB;<br>JPO;<br>DERWENT | 2002/11/20 09:40 |
| - | 0    | (264/40.1 and 264/328.1) and (control with ((power adj consumption)<br>with motor))   | USPAT;<br>US-PGPUB;<br>JPO;<br>DERWENT | 2002/11/20 09:41 |
| - | 1    | 264/40.1 and (control with ((power adj consumption) with motor))  | USPAT;<br>US-PGPUB;<br>JPO;<br>DERWENT | 2002/11/20 09:43 |
| - | 36   | 264/40.1 and (control with (force with screw))  | USPAT;<br>US-PGPUB;<br>JPO;<br>DERWENT | 2002/11/20 09:48 |
| - | 1    | 264/40.1 and (control with (force with (screw adj drive)))  | USPAT;<br>US-PGPUB;<br>JPO;<br>DERWENT | 2002/11/20 10:04 |
| - | 9    | 264/40.1 and (force with (screw adj drive))   | USPAT;<br>US-PGPUB;<br>JPO;<br>DERWENT | 2002/11/20 10:54 |
| - | 2    | 5328347.pn.   | USPAT;<br>US-PGPUB;<br>JPO;<br>DERWENT | 2002/11/20 10:08 |
| - | 9    | ("3799031"   "4060362"   "4120631"   "4146601"   "4386898"  <br>"4407649"   "4511317"   "4954301"   "5158780").PN.  | USPAT                                  | 2002/11/20 10:30 |
| - | 2    | ((("3799031"   "4060362"   "4120631"   "4146601"   "4386898"  <br>"4407649"   "4511317"   "4954301"   "5158780").PN.) and (screw adj<br>drive)            | USPAT                                  | 2002/11/20 10:12 |
| - | 1206 | 264/40.5  | USPAT                                  | 2002/11/20 10:12 |
| - | 41   | 264/40.5 and (screw adj drive)  | USPAT                                  | 2002/11/20 10:28 |
| - | 1    | 4497624.pn.   | USPAT                                  | 2002/11/20 10:28 |

|   |         |  |  |                  |
|---|---------|--|--|------------------|
| - | 0       | 264/40.1 and ((moving adj plate) with (step adj motion))   | USPAT;<br>US-PGPUB;<br>JPO;<br>DERWENT | 2002/11/20 10:55 |
| - | 0       | 264/40.1 and (step adj motion)                             | USPAT;<br>US-PGPUB;<br>JPO;<br>DERWENT | 2002/11/20 11:25 |
| - | 0       | 264/40.5 and (step adj motion)                             | USPAT;<br>US-PGPUB;<br>JPO;<br>DERWENT | 2002/11/20 11:53 |
| - | 257     | 264/40.5 and (mov\$4 with plate)                           | USPAT;<br>US-PGPUB;<br>JPO;<br>DERWENT | 2002/11/20 11:01 |
| - | 185     | (264/40.5 and (mov\$4 with plate)) and step                | USPAT;<br>US-PGPUB;<br>JPO;<br>DERWENT | 2002/11/20 10:56 |
| - | 10      | (264/40.5 and (mov\$4 with plate)) and (step with motion)  | USPAT;<br>US-PGPUB;<br>JPO;<br>DERWENT | 2002/11/20 11:09 |
| - | 492     | 40.5 and micrometer  | USPAT;<br>US-PGPUB;<br>JPO;<br>DERWENT | 2002/11/20 11:10 |
| - | 0       | (40.5 and micrometer) and (step adj motion)                | USPAT;<br>US-PGPUB;<br>JPO;<br>DERWENT | 2002/11/20 11:10 |
| - | 367     | (40.5 and micrometer) and step                             | USPAT;<br>US-PGPUB;<br>JPO;<br>DERWENT | 2002/11/20 11:10 |
| - | 9       | ((40.5 and micrometer) and step ) and (mov\$4 near2 plate) | USPAT;<br>US-PGPUB;<br>JPO;<br>DERWENT | 2002/11/20 11:11 |
| - | 2       | 264/328.1 and (step near2 motion)                          | USPAT;<br>US-PGPUB;<br>JPO;<br>DERWENT | 2002/11/20 11:26 |
| - | 0       | 264/328.1 and (step adj motion)                            | USPAT;<br>US-PGPUB;<br>JPO;<br>DERWENT | 2002/11/20 11:27 |
| - | 0       | 264/40.1 and (step adj by adj step)                        | USPAT;<br>US-PGPUB;<br>JPO;<br>DERWENT | 2002/11/20 11:28 |
| - | 1       | (step adj by adj step) adj motion                          | USPAT;<br>US-PGPUB;<br>JPO;<br>DERWENT | 2002/11/20 11:31 |
| - | 73      | 264/40.1 and micrometer                                    | USPAT;<br>US-PGPUB;<br>JPO;<br>DERWENT | 2002/11/20 11:33 |
| - | 5210646 | (264/40.1 and micrometer) no diameter                      | USPAT;<br>US-PGPUB;<br>JPO;<br>DERWENT | 2002/11/20 11:33 |

|   |     |  |  |                  |
|---|-----|--|--|------------------|
| - | 17  | (264/40.1 and micrometer) not diameter                                 | USPAT;<br>US-PGPUB;<br>JPO;<br>DERWENT | 2002/11/20 11:34 |
| - | 21  | ((264/40.1 or 264/40.5) and micrometer) not diameter                   | USPAT;<br>US-PGPUB;<br>JPO;<br>DERWENT | 2002/11/20 11:34 |
| - | 35  | 264/40.5 and (step with motion)  | USPAT;<br>US-PGPUB;<br>JPO;<br>DERWENT | 2002/11/20 12:05 |
| - | 525 | (step with motion) and micrometer                                      | USPAT;<br>US-PGPUB;<br>JPO;<br>DERWENT | 2002/11/20 12:06 |
| - | 1   | ((step with motion) and micrometer) and (mov\$4 with (mold adj plate)) | USPAT;<br>US-PGPUB;<br>JPO;<br>DERWENT | 2002/11/20 12:40 |
| - | 2   | 5,800,750.pn.  | USPAT;<br>US-PGPUB;<br>JPO;<br>DERWENT | 2002/11/20 13:01 |
| - | 2   | 5,540,577.pn.  | USPAT;<br>US-PGPUB;<br>JPO;<br>DERWENT | 2002/11/20 12:43 |